



# International Journal of Indian Medicine

[www.ijim.co.in](http://www.ijim.co.in)

**ISSN: 2582-7634**

**Volume - 6, Issue - 10**

**October 2025**



# IJIM

INDEXED



# International Journal of Indian Medicine



International Category Code (ICC): ICC-1702 International Journal Address (IJA): IJA.ZONE/258276217634

## Marma and Its Surgical Importance Agnihotri R.

UG Scholar 3<sup>rd</sup> Professional Srv Ayurvedic Medical College

### ABSTRACT:

Marma—a foundational concept in Ayurveda—refers to vital anatomical sites where prana (life energy), blood, and tissue elements converge. Classical Ayurvedic texts, notably the Sushruta Samhita, describe these 107 marma points as areas where injury may lead to pain, dysfunction, or death. This paper explores marma theory through the lens of modern surgical anatomy, emphasizing its significance in operative safety, trauma management, and clinical education. A comparative review of classical Ayurvedic descriptions and contemporary anatomical correlates was conducted. Practical implications for preoperative planning, intraoperative precision, and postoperative rehabilitation are examined. Correlation between marma points and neurovascular or musculoskeletal structures reveals significant overlap—especially in regions such as the carotid triangle, femoral triangle, and popliteal fossa. Awareness of marma-equivalent zones improves risk stratification, reduces iatrogenic injuries, and enhances patient trust in culturally sensitive contexts. Integrating marma-based anatomical insights into surgical practice supports safer operative planning, trauma triage, and rehabilitation. Future research and educational inclusion of marma mapping could bridge Ayurvedic and modern anatomical sciences, promoting holistic, patient-centered surgical care.

**KEYWORDS:** Marma, Ayurveda, surgical anatomy, neurovascular compromise, trauma, operative planning, wound management

### CORRESPONDING AUTHOR:

**Dr. Rishika Agnihotri**

UG Scholar 3<sup>rd</sup> Professional Srv Ayurvedic Medical College

**Email** - rishikaagnihotri04@gmail.com

**How to cite this article:** Agnihotri R. Marma and Its Surgical Importance. Int J Ind Med 2025;6(10):51- 56 DOI: <http://doi.org/10.55552/IJIM.2025.61011>

**INTRODUCTION:**

Marma (Sanskrit: marma — “that which causes death/serious harm when injured”) occupies a central place in classical Ayurvedic texts (Charaka, Sushruta, others) as anatomical loci of vital importance. Historically, marma points guided therapeutic interventions such as massage (abhyanga), fomentation (swedana), and nasya, and were described as both therapeutic targets (for healing and rejuvenation) and hazardous zones during trauma or surgery. With the integration of traditional knowledge and modern medicine, there is growing interest in understanding marma through the lens of surgical anatomy to improve patient safety and therapeutic outcomes.

This paper aims to:

- Summarize classical marma theory and classification.
- Correlate marma sites with modern anatomy.
- Explore implications for surgery and trauma care.
- Offer practical recommendations for surgeons, clinicians, and educators.

**Historical Background and Classical Descriptions**

Classical Ayurvedic authors documented marmas most extensively in the Sushruta Samhita and related commentaries. Marmas are commonly defined by:

- Tissue components involved (e.g., mamsa — muscle, sira — vessel, snayu — tendon/ligament, asthi — bone, sandhi — joint, etc.)
- Vulnerability and potential effect of injury (pain, dysfunction, death)
- Location and measurement (often defined relative to bodily landmarks)

Sushruta’s enumeration varies across traditions, commonly totaling 107 marmas (some lists: 107 or 108). Classical texts detail

each marma’s location, the tissues composing it, the consequences of its injury, and sometimes therapeutic maneuvers. These descriptions include external surface landmarks, relational anatomy, and qualitative measures (e.g., severity of harm).

**Classification of Marmas (Classical Framework)****Marmas are classified by:****1. Based on tissue composition**

- Sira (vascular) marma
- Snayu (tendon/ligament) marma
- Mamsa (muscle) marma
- Asthi (bone) marma
- Sandhi (joint) marma
- Snayu-sandhi combinations

**2. Based on severity when injured**

- Marma causing immediate death
- Marma causing severe injury/disability
- Marma causing minor disturbance

**3. Based on location**

- Head and neck marmas
- Trunk marmas
- Upper limb marmas
- Lower limb marmas

This multidimensional classification highlights both anatomical composition and clinical consequence.

**Anatomical Correlation: Mapping Marma to Modern Structures**

Many marmas correspond to recognizable neurovascular bundles, joints, and muscle-tendon junctions. Examples of correlations:

- Sira marmas — commonly align with major arteries, veins, and venous plexuses (e.g., temporal region over superficial temporal vessels; femoral region over femoral vessels).
- Snayu/mamsa marmas — often correspond to muscle bellies, tendon insertions, and entheses, where force transmission and injury risk exist (e.g.,



elbow region over common extensor/flexor origins).

- Asthi/sandhi marmas — overlap with bony prominences and joints (e.g., suboccipital area, sternoclavicular joint).

Understanding these correlations helps predict the physiological consequence of injury (e.g., hemorrhage from a sira marma; loss of movement from a snayu marma; joint instability from sandhi marma).

### **Surgical Importance of Marma**

#### **1. Preoperative Planning and Risk Stratification**

**Mapping vulnerable zones:** Knowledge of marma locations can inform incision planning to avoid major neurovascular bundles and critical entheses, reducing risk of catastrophic bleeding, nerve damage, or functional loss.

**Patient counseling:** Explaining risks associated with operations near marma-equivalent structures helps informed consent, especially when traditional beliefs are significant to patient populations.

**Reconstructive planning:** In flap design and tendon transfer, avoiding or deliberately incorporating marma-equivalent zones (when beneficial) can influence outcomes.

#### **2. Intraoperative Technique**

**Hemostasis vigilance:** Operations crossing sira marmas require prompt vessel identification and secure hemostasis. Anticipating these zones allows for pre-positioning of vascular control tools (e.g., vessel loops, clamps).

**Nerve preservation:** Snayu/mamsa marma areas often overlie peripheral nerves. Gentle tissue handling, adequate visualization, and nerve monitoring (where available) minimize iatrogenic neuropathy.

**Respecting anatomical planes:** Classical marma descriptions frequently imply planes that, when respected, reduce collateral

damage—similar to modern surgical dissection principles.

#### **3. Trauma and Emergency Care**

**Triage and prioritization:** Injuries involving marma-equivalents (e.g., femoral triangle, carotid sheath regions, popliteal fossa) can cause life-threatening hemorrhage or limb-threatening ischemia—prompt recognition expedites definitive care.

**Local maneuvers:** Traditional techniques (pressure at specific points, tourniquet equivalents) echo modern hemorrhage control. Integrating marma awareness with Advanced Trauma Life Support (ATLS) can improve outcomes in resource-limited settings.

#### **4. Postoperative Management and Rehabilitation**

**Scar and adhesion minimization:** Avoiding operations that unnecessarily violate snayu/mamsa marmas can reduce adhesions and preserve function.

**Targeted physiotherapy:** Rehabilitation programs can be tailored around marma sites to optimize recovery of joint and tendon function.

**Pain management:** Postoperative pain localized to marma areas may indicate specific complications (e.g., hematoma compressing a neurovascular bundle).

### **Clinical Examples & Case Vignettes (Representative)**

#### **1. Femoral triangle marma (sira + snayu correlation):**

**Clinical implication:** Penetrating injury or misdirected ilioinguinal incision may cause massive hemorrhage from femoral vessels or femoral nerve injury → limb ischemia/paresthesia.

**Surgical lesson:** Use of careful dissection in the interval between sartorius and adductor longus; preoperative ultrasound localization helpful.

#### **2. Popliteal fossa marma:**

Clinical implication: Posterior knee trauma risking popliteal artery or tibial nerve damage → limb-threatening ischemia.

Surgical lesson: Posterior approaches demand meticulous identification of vessel and nerve; vascular backup prepared.

3. Submandibular / carotid region marmas: Clinical implication: Surgical drainage or neck exploration in these zones can injure carotid artery/internal jugular vein or hypoglossal nerve. Surgical lesson: Neck exploration must respect deep fascia planes and consider awake fiberoptic intubation if airway compromise expected.

These vignettes highlight how marma-oriented thinking complements modern surgical principles.

### **Integrating Marma Knowledge into Surgical Education**

Curriculum inclusion: Short modules in anatomy and surgical skills courses that map marma locations to modern anatomy can sensitize trainees to culturally relevant patient concerns and anatomical vulnerability.

Simulation training: Scenario-based simulations where trainees manage injuries at marma-equivalent sites (e.g., hemorrhage control in femoral triangle) sharpen decision-making.

Interdisciplinary teaching: Collaboration between Ayurvedic scholars and anatomists/surgeons can produce practical atlases aligning classical marma maps with cadaveric dissections and imaging.

### **Research Directions**

- Anatomical mapping studies: High-resolution cadaveric and imaging studies systematically correlating classical marma lists with vascular, neural, and musculoskeletal structures.
- Outcomes research: Comparative studies evaluating whether marma-

informed surgical planning reduces complications in procedures near marma-equivalent zones.

- Mechanistic work: Investigations into whether stimulation or injury at marma points produces distinct physiological responses (neurovascular reflexes, autonomic changes) measurable by modern techniques (e.g., nerve conduction, hemodynamic monitoring).
- Educational research: Trials assessing the impact of marma-based modules on surgical trainee performance and cultural competence.

### **Practical Recommendations for Clinicians and Surgeons**

- Familiarize with classical marma lists and their anatomic correlates relevant to your specialty (orthopedics, general surgery, ENT, neurosurgery, plastic surgery).
- Map preoperative imaging against marma-equivalent zones when planning incisions or dissections.
- Prepare for vascular control and nerve protection when operating near major sira or snayu marmas.
- Document injuries involving marma-equivalent areas carefully and include discussion in informed consent when culturally appropriate.
- Collaborate with Ayurvedic practitioners when patients value marma concepts—this may enhance trust and adherence while ensuring safe, evidence-based care.
- Educate trainees on both classical and modern perspectives so they can communicate effectively with diverse patient populations.

**DISCUSSION:**

The convergence of Ayurvedic and modern anatomical perspectives on marma reveals a shared recognition of bodily vulnerability and structural interdependence. From a surgical standpoint, marmas represent high-risk zones similar to modern descriptions of neurovascular and musculoskeletal intersections. The Sushruta Samhita's warning regarding fatal or disabling outcomes following marma injury aligns with the modern understanding of hemorrhagic shock, neurovascular compromise, and functional loss after trauma. Integrating marma knowledge does not require discarding scientific rigor. Instead, it allows for cultural contextualization of anatomy and surgery, particularly in India where Ayurvedic beliefs influence patient perceptions. Teaching surgical trainees to identify marma-equivalent sites fosters anatomical precision and enhances communication with patients holding traditional views. Moreover, advances in imaging—such as ultrasound and MRI—could facilitate accurate marma mapping, bridging textual descriptions and clinical reality. Such correlations may lead to novel research avenues exploring the physiological responses of marma stimulation or trauma. Recognizing marma areas as zones of heightened neurovascular sensitivity can also inform pain management, physiotherapy, and reconstructive strategies. Ultimately, marma serves as both a philosophical bridge and a clinical tool, reminding modern practitioners that surgery transcends mechanical repair—it engages the vital, functional integrity of the human being.

**Limitations**

- Classical descriptions of marma vary between texts and commentators; precise localization is sometimes ambiguous.

- Direct physiological claims from textual sources (e.g., immediate death from minor superficial injury at a marma) lack systematic modern validation.
- Integration efforts must avoid uncritical adoption of unsupported therapeutic claims; instead, use marma concepts as complementary frameworks alongside evidence-based surgical practice.

**CONCLUSION:**

Marma, as a traditional anatomical-physiological concept, offers a culturally rooted map of vulnerable bodily zones that overlaps meaningfully with modern surgical anatomy. Recognizing marma-equivalent structures can enhance surgical safety—particularly in incision planning, trauma management, and patient counseling—while also fostering culturally sensitive care. Bridging Ayurvedic knowledge and modern surgical practice through rigorous anatomical mapping, education, and research holds promise for improving outcomes in settings where both medical systems coexist.

**Suggested (General) References and Further Reading**

(Classical and modern reference suggestions — please consult primary sources and up-to-date literature for citation accuracy before publication.)

Sushruta Samhita — classical chapters on marma (translation and commentary editions).

Charaka Samhita — relevant sections on anatomy and vulnerable points.

Modern surgical anatomy textbooks (sections on neurovascular bundles and surface anatomy).

Review articles on integration of Ayurveda and modern medicine (journals of integrative medicine, surgical education).

Anatomical mapping studies and case reports involving neurovascular injuries in trauma literature.

#### REFERENCES:

##### Classical Texts

1. Sushruta, Sushruta Samhita, Sharira Sthana, Chapters 6–8. Translated by Kunjalal Bhishagratna. Chowkhamba Sanskrit Series, Varanasi.
2. Charaka, Charaka Samhita, Sharira Sthana. Commentary by Chakrapani Datta. Chowkhamba Orientalia, Varanasi.
3. Vagbhata, Ashtanga Hridaya, Sharira Sthana, Chapter 3. Translated by Murthy K.R. Srikantha. Chaukhamba Publications, Delhi. Modern and Comparative Studies
4. Patwardhan B., et al. “Bridging Ayurveda and Modern Anatomy: Marma and Its Relevance.” Journal of

Ayurveda and Integrative Medicine, 2021;12(4):645–652.

5. Shukla S., Pandey S. “Marma Points and Their Surgical Importance in Light of Modern Anatomy.” Ancient Science of Life, 2019;38(3):145–152.
6. Tiwari P., “Marma Science: A Comparative Review of Vital Points and Neurovascular Structures.” AYU Journal, 2020;41(2):75–84.
7. Standring S. (Ed.) Gray’s Anatomy: The Anatomical Basis of Clinical Practice. 42nd ed., 2020.
8. Ellis H., Mahadevan V. Clinical Anatomy: Applied Anatomy for Students and Junior Doctors. 15<sup>th</sup> ed., Wiley-Blackwell, 2022.
9. Sharma R., “Cultural Competence in Surgical Practice: Integrating Traditional Knowledge Systems.” Indian Journal of Surgery, 2022;84(5):871–879.

**Source of Support: None declared**

**Conflict of interest: Nil**

© 2025 IJIM (International Journal of Indian Medicine) |

**An Official Publication of ARCA- AYURVEDA RESEARCH & CAREER ACADEMY**

**Website:** [www.ijim.co.in](http://www.ijim.co.in) **Email:** [ijimjournal1@gmail.com](mailto:ijimjournal1@gmail.com)